

СПЕЦИФИКАЦИЈА

17/2022 – СТОЛАРСКИ РАДОВИ

Опис столарских радова са потребним материјалом	Јединица мере	Количина
Канцеларија 1		
ПЛАКАР 3140 x 3020 мм	КОМ	1
КАНЦЕЛАРИЈСКИ СТО СА ПОКРЕТНОМ КАСЕТОМ 1600 x 700 x 750 мм	КОМ	2
КОМОДА СА ЗИДНОМ ОБЛОГОМ И ЖАРДИЊЕРОМ 2400 x 3020 мм	КОМ	1
Канцеларија 2		
КОМОДА, ОРМАР, ПОЛИЦА, ЗИДНА ОБЛОГА 3830 x 3020 мм	КОМ	1
ЖАРДИЊЕРА СА ЗИДНОМ ОБЛОГОМ 1300 x 3020 мм	КОМ	1
Полице 1200 x 2260	КОМ	1
Полице 900 x 2260	КОМ	1
ЗД СТО СА КОМОДОМ 3550 x 2000 x 750	КОМ	1
Улазни хол и улаз		
ПЛАКАР 1680 x 3020	КОМ	1
РАДИЈАТОР МАСКА 1300 x 720	КОМ	1
ПЛАКАР 2400 x 3020 мм	КОМ	1
ПЛАКАР 2720 x 3020 мм	КОМ	1
ЗИДНА ОБЛОГА 2860 x 3020 мм	КОМ	1
КЛУПЕ 1300 x 670 x 1150 мм	КОМ	2
СТАЛАК ЗА КИШОБРАНЕ 250 x 250 x 700 мм	КОМ	1
ЖАРДИЊЕРА 2100 x 400 x 600 мм	КОМ	1
ЧИВИЛУК 1150 x 2500 мм	КОМ	1
КОМОДА ИСПОД СТЕПЕНИШТА 900 x 450 x 1600 мм	КОМ	1
Тоалет		
ОРМАР ИСПОД ЛАВАБОА 500 x 600 x 350 мм	КОМ	1
ПОЛИЦА ИСПОД ПРОЗОРА 1200 мм	КОМ	1
ОГЛЕДАЛО 2000 x 900 мм	КОМ	1
Кухиња		
КУХИЊСКИ ЕЛЕМЕНТИ 2960 x 1420 мм	КОМ	1
ДЕКОРАТИВНИ ЗИД 800 x 3020 мм	КОМ	1
Ходник и степениште		
ЖАРДИЊЕРА 1100 x 500 мм	КОМ	1
ЗИДНА ОБЛОГА 580 x 3020 мм	КОМ	1
Конференцијска сала спрат		
СТО ЗА САСТАНКЕ 1600 x 800 x 750 мм	КОМ	2
ХИДРАНТ ПОЛИЦА 1910 x 3050 мм	КОМ	1
КОМОДА ПОТКРОВЉЕ 3600 x 880 мм	КОМ	1
КУХИЊА 7560 x 600 x 1700 мм	КОМ	1
ТОАЛЕТ, ЕЛЕМЕНТ ИСПОД ЛАВАБОА 1180 x 500 x 650 мм	КОМ	1
ТОАЛЕТ ЖЕНСКИ, ЕЛЕМЕНТ 500 x 1200 x 420 мм	КОМ	1


Nameštaj po meri

Enterijer poslovnog prostora nacionalnog
saveta rusinske nacionalne manjine
Matice srpske I 5, Novi Sad

P I K A N T E R I O R

Projektant:

mast.inž.arh. Željka Paripović
060/3776250



LEGENDA:

Kancelarija 1:		
1	Plakar sa policama	pravi se po meri komplet
2	Komoda sa čivilukom	pravi se po meri komplet
3	Radni sto sa fiokarom	pravi se po meri 2 kom
Kancelarija 2:		
4	TV komoda sa plakarom	pravi se po meri komplet
5	Čiviluk sa saksijom	pravi se po meri komplet
5a	Police	prave se po meri komplet
6	Radni sto sa el. sa fiokama	pravi se po meri komplet
Ulazni hol i ulazu:		
7a	Biblioteka sa fancoil maskom	pravi se po meri komplet
7b	Biblioteka	pravi se po meri komplet
8	Separe sa oblogom i stalkom	pravi se po meri komplet
9	Saksija na ulazu	pravi se po meri 1 kom
Toalet:		
10	El.ispod lavaboa, ogledalo, ploča na geberitu	pravi se po meri komplet
Kuhinja:		
11	Kuhinja sa paravanom	pravi se po meri komplet
Hodnik ka stepeništu:		
12	Saksija sa cvećem	pravi se po meri 1 kom
13	Čiviluk	pravi se po meri 1 kom

a	Radna stolica Ikea Hattefjall	kupovni nameštaj	3 kom
b	Radna stolica Ikea Langfjall	kupovni nameštaj	4 kom
c	Stolica Ikea Tossberg	kupovni nameštaj	2 kom
d	Sto Stensele	kupovni nameštaj	2 kom
e	Pleteni tabure Ikea Sandared	kupovni nameštaj	2 kom
f	Dekoracija Ikea Fejka	kupovna dekoracija	18 kom
g	Barska stolica Nordviken	kupovni nameštaj	2 kom
i	Ogledalo Ikea Lindbyn	kupovni nameštaj	1 kom

Dispozicija nameštaja Prizemlje

Projekat:
Enterijer poslovnog prostora
nacionalnog saveta rusinske nacionalne
manjine
Matice srpske 15, Novi Sad

PIKANTERIOR

Projektant:
mast.inž.arh. Željka Paripović
060/3776250


april 2022.

01

Sve mere proveriti na licu mesta!
Za sve nejasnoće, kontaktirati projektanta!

Kancelarija 1

OSNOVA



Osnova "Kancelarije I"

Projekat: Enterijer poslovnog prostora nacionalnog saveta rusinske nacionalne manjine Matice srpske 15, Novi Sad
--



PIKANTERIOR

Projektant:
mast.inž.arh. Željka Paripović
060/3776250


april 2022.

02


Sve mere proveriti na licu mesta!
Za sve nejasnoće, kontaktirati projektanta!




PRESEK 1-1



PRESEK 2-2



Detalj A - ručka



Sve mere proveriti na licu mesta!
Za sve nejasnoće, kontaktirati projektanta!

NPM 01

Projekat:
Enterijer poslovnog prostora
nacionalnog saveta rusinske nacionalne
manjine
Matice srpske 15, Novi Sad


PIKANTERIOR

Projektant:
mast.inž.arh. Željka Paripović
060/3776250


april 2022.

03

IZGLED A



IZGLED A BEZ FRONTOVA



MATERIJALI ZA IZRADU:



U968 ST9 Carbon Grey



H 3157 ST12 Vicenza hrast

vidni korpus: u dezentu i materijalu frontova
skriveni korpus: korpusna bela iverica
ABS korpusa 23/0.4cm
ABS fronta 23/1 cm

DETALJI PROJEKTOVANJA:

- svi elementi su na nogicama $h=2\text{cm}$
- svi frontovi su u istoj ravni
- elementi u drvodezenu su sa jednim frontom u donjem delu elementa (sa otvaranjem na push), otvorene police ovih elemenata raditi fiksne
- srednji, crni element se otvara preko zareza u frontovima (detalj A), u jednom od elemenata postaviti skrivene fioke (otvaranje na push)
- iznad svih elemenata postavlja se maska koju čini podloga od univera U968 ST9 na koju se postavljaju vertikalno letvice u drvodezenu H3157 ST12 na odmacima od 2cm, ovu masku uvući 5cm u odnosu na korpus elemenata ispod
- drvodezen koristiti sa vertikalnim godovima na svim frontovima i leđima
- koristiti Blum okov (Tandem sa potpunim izvlačenjem)

Sve mere proveriti na licu mesta!
Za sve nejasnoće, kontaktirati projektanta!

NPM 01





Projekat: Enterijer poslovnog prostora nacionalnog saveta rusinske nacionalne manjine Matice srpske 15, Novi Sad
--

PIKANTERIOR

Projektant:
mast.inž.arh. Željka Paripović
060/3776250

april 2022.

04



- MATERIJALI ZA IZRADU:
- U968 ST9 Carbon Grey
 - H 3157 ST12 Vicenza hrast
 - U 763 ST9 Pearl Grey

- DETALJI PROJEKTOVANJA:
- radno stolovi se postavljaju na noge od metalnog flaha 6x2cm plastificirani u crno (noga Rival metal Artemis crna 160x70cm)
 - ploča stola je duplung u drvodezenu dimenzija 160x70 cm
 - fiokaš je na silikonskim točkićima, okretnim, sa kočnicom
 - otvaranje fioka preko skrivene ručke (detalji B i C)
 - stavljati kvadratnu crnu rozetnu za kablove na ploču
 - koristiti Blum okove za fiokse
 - potrebno ovakva 2 stola

Sve mere proveriti na licu mesta!
Za sve nejasnoće, kontaktirati projektanta!

NPM 03	
Projekat: Enterijer poslovnog prostora nacionalnog saveta rusinske nacionalne manjine Matice srpske 15, Novi Sad	
P I K A N T E R I O R	
Projektant: mast.inž.arh. Željka Paripović 060/3776250	
april 2022.	06

[illegible]

Projekat:
Enterijer poslovnog prostora
nacionalnog saveta rusinske nacionalne
manjine
Matice srpske 15, Novi Sad

Projektant:
mast.inž.arh. Željka Paripović
060/3776250

april 2022.

07

Sve mere proveriti na licu mesta!
Za sve nejasnoće, kontaktirati projektanta!

44 | 44

 $\Delta_1 \quad \triangle \quad \Delta_2$ 

Technical drawing of a door assembly. The drawing shows a side view of a door with a handle and a lock mechanism. The door is shown in a closed position, with the handle and lock mechanism visible on the right side. The drawing includes the following dimensions and details:

- Overall height: 104
- Overall width: 50
- Handle height: 90
- Lock mechanism height: 12
- Door thickness: 48
- Detail callouts: "detalj B" (twice, pointing to the handle and lock mechanism)

[illegible]

Za sve nejasnoće, kontaktirati projektanta

Projekat:
Enterijer poslovnog prostora
nacionalnog saveta rusinske nacionalne
manjine
Matice srpske 15, Novi Sad

Projektant:
mast.inž.arh. Željka Paripović
060/3776250

08

[illegible][illegible]

 U968 ST9 Carbon Grey

H 3157 ST12 Vicenza hrast

DETALJI PROJEKTOVANJA:

- svi elementi su na nogicama $h=2\text{ cm}$
- frontovi komode se otvaraju na push, dok se fioke otvaraju prema detalju B
- na komodu postaviti korpus sa dve strane i leđima u drvodezenu
- do komode se postavlja visoki plakar, čiji se frontovi otvaraju po detalju A, u unutrašnjosti plakara postaviti pomerljive police, kao i deo za visoko kačenje garderobe
- kao plići element u odnosu na komodu i plakar, postavlja se otvorena polica u dezenu, njene police su fiksne
- iznad plakara i otvorene police, kao i pored nje, postavljaju se letvice na podlozi od univera u dezenu U968, letvice su preseka $2 \times 4 \text{ cm}$
- koristiti Blumov okov (Tandem sa potpunim zvlačenjem)

NPM 04



Projekat: Enterijer poslovnog prostora nacionalnog saveta rusinske nacionalne manjine Matice srpske 15, Novi Sad
--

PIKANTERIOR

Projektant:
mast.inž.arh. Željka Paripović
060/3776250

april 2022.

09



MATERIJALI ZA IZRADU:

 U968 ST9 Carbon Grey

 H 3157 ST12 Vicenza hrast

vidni korpus: u dezenu i materijalu frontova
skriveni korpus: korpusna bela iverica
ABS korpusa 23/0.4cm
ABS fronta 23/1 cm

DETALJI PROJEKTOVANJA:

- saksiju i stalak za kišobrane odmaći za debljinu letvice i podloge od zida sa plakarom
- unutrašnjost saksije obložiti limom radi zaštite univera od vlage i curenja
- letvice pored saksije, postavljati naizmenično po visini: svaka druga letvica je viša od prethodne
- između letvica postavljati letvice pod uglom za kačenje garderobe

Sve mere proveriti na licu mesta!
Za sve nejasnoće, kontaktirati projektanta!

NPM 05

Projekat:
Enterijer poslovnog prostora
nacionalnog saveta rusinske nacionalne
manjine
Matice srpske 15, Novi Sad


PIKANTERIOR

Projektant:
mast.inž.arh. Željka Paripović
060/3776250


april 2022.

10


OSNOVA




IZGLED A




3D STO



IZGLED B1



IZGLED B2



MATERIJALI ZA IZRADU:

- H 3157 ST12 Vicenza hrast
- U 763 ST9 Peral Grey

vidni korpus: u dezeniu i materijalu frontova
skriveni korpus: korpusna bela iverica
ABS korpusa 23/0.4cm
ABS fronta 23/1 cm

DETALJI PROJEKTOVANJA:

- radni sto ima dimenzije 200x80cm, sa levog kraja se oslanja na element sa fiokama, a na desnom kraju na nogu od met. flaha preseka 6x2cm, plastificiran po RAL9004
- sa rednje strane stola nastavlja se konferencijski deo stola za zaobljenjem na slobodnom kraju, sto se oslanja po sredini na met. nogu od flaha 6x2cm
- slobodan deo radnog stola kao masku ima podlogu sa letvicama na odmaku 2 cm

Sve mere proveriti na licu mesta!
Za sve nejasnoće, kontaktirati projektanta!

NPM 06

Projekat:
Enterijer poslovnog prostora
nacionalnog saveta rusinske nacionalne
manjine
Matice srpske 15, Novi Sad


PIKANTERIOR

Projektant:
mast.inž.arh. Željka Paripović
060/3776250


april 2022.

11


IZGLED A




BOČNI IZGLED



OSNOVA 1-1



OSNOVA 2-2



MATERIJALI ZA IZRADU:

H 3157 ST12 Vicenza hrast

Metalni kutijasti profil 2x2
RAL9004 mat

ABS 23/1 cm

DETALJI PROJEKTOVANJA:

- kompozicija sa policama se sastoji iz dve odvojene police
- osnovna konstrukcija police je od metalnog profila preseka 2x2 cm, plastificiranim po RAL9004
- police su od univerza H3157 ST12
- obe police fiksirati za zid

NPM 05a

Projekat:
Enterijer poslovnog prostora
nacionalnog saveta rusinske nacionalne
manjine
Matice srpske 15, Novi Sad

PIKANTERIOR


Projektant:
mast.inž.arh. Željka Paripović
060/3776250

Sve mere proveriti na licu mesta!
Za sve nejasnoće, kontaktirati projektanta!

april 2022.

12

Ulazni hol i ulaz



Osnova "Ulaznog hola"

Projekat:
Enterijer poslovnog prostora
nacionalnog saveta rusinske nacionalne
manjine
Matice srpske 15, Novi Sad

PIKANTERIOR

Projektant:
mast.inž.arh. Željka Paripović
060/3776250

Sve mere proveriti na licu mesta!
Za sve nejasnoće, kontaktirati projektanta!

april 2022.

13



- produžiti rešetku do 10 cm od prolaza (ispod ostaviti reviziju)
- klupa da je pomerljiva zbog pristupa reviziji
- srednji deo plakara praviti dublji, kako bi upakovali rek i samo u zoni vrata ostaviti punu dubinu elementa, otvoreni deo polica neka bude plići
- prostor za zelenilo na zidu 250x50 cm, leđa u toj zoni da su od crnog hdf-a

Technical drawing of a window frame assembly, showing dimensions and components. The drawing includes a cross-section view (A-A) and a plan view (B-B).

Dimensions:

- Overall width: 210
- Overall height: 126
- Inner width: 126
- Inner height: 114
- Left side dimensions: 40, 38, 39.2, 78.5, 39.3, 169, 40, 65, 38, 40, 33
- Right side dimensions: 40, 38, 39.2, 78.5, 39.3, 169, 40, 65, 38, 40, 33
- Bottom dimensions: 38, 40, 33

Components:

- Window frame (pink outline)
- Window pane (blue outline)
- Window sill (grey outline)
- Window frame profile (grey outline)
- Window frame seal (grey outline)
- Window frame reinforcement (grey outline)
- Window frame support (grey outline)
- Window frame fastener (grey outline)
- Window frame hinge (grey outline)
- Window frame handle (grey outline)
- Window frame latch (grey outline)
- Window frame lock (grey outline)
- Window frame stop (grey outline)
- Window frame clip (grey outline)
- Window frame pin (grey outline)
- Window frame screw (grey outline)
- Window frame bolt (grey outline)
- Window frame nut (grey outline)
- Window frame washer (grey outline)
- Window frame gasket (grey outline)
- Window frame sealant (grey outline)
- Window frame adhesive (grey outline)
- Window frame fastener (grey outline)
- Window frame hinge (grey outline)
- Window frame handle (grey outline)
- Window frame latch (grey outline)
- Window frame lock (grey outline)
- Window frame stop (grey outline)
- Window frame clip (grey outline)
- Window frame pin (grey outline)
- Window frame screw (grey outline)
- Window frame bolt (grey outline)
- Window frame nut (grey outline)
- Window frame washer (grey outline)
- Window frame gasket (grey outline)
- Window frame sealant (grey outline)

Technical drawing of a kitchen layout showing a U-shaped arrangement of pink cabinetry. The layout includes a sink area on the left, a countertop with two rectangular cutouts, and a tall cabinet on the right. Dimensions are provided in millimeters. A north arrow points towards the top right. Labels A, B, and C indicate specific areas of interest.

Dimensions:

- Left Wall:** Total width 65 mm (25 mm + 40 mm). Sink area width 40 mm, depth 25 mm. Cabinet depth 78.5 mm.
- Top Wall:** Total width 130 mm. Two rectangular cutouts, each 35 mm wide and 35 mm high. Cabinet depth 78.5 mm.
- Right Wall:** Total width 40 mm (36 mm + 2 mm). Cabinet depth 118 mm. Countertop depth 56 mm. Sink area width 36 mm, depth 40 mm.
- Internal Dimensions:**
 - Distance between left and right walls: 169 mm (78.5 mm + 118 mm).
 - Distance between top and bottom walls: 118 mm (56 mm + 56 mm).

Labels:

- A:** Points to the left wall cabinet.
- B:** Points to the bottom wall cabinet.
- C:** Points to the right wall cabinet.

ventilaciona rešetka RAL 9003



NPM 07a

Projekat:
Enterijer poslovnog prostora
nacionalnog saveta rusinske nacionalne
manjine
Matice srpske 15, Novi Sad

PIKANTERIOR


Projektant:
mast.inž.arh. Željka Paripović
060/3776250

april 2022.


14

Sve mere proveriti na licu mesta!
Za sve nejasnoće, kontaktirati projektanta!

IZGLED A



IZGLED C



MATERIJALI ZA IZRADU:

H 3157 ST12 Vicenza hrast

vidni korpus: u dezenu i materijalu frontova
skriveni korpus: korpusna bela iverica
ABS korpusa 23/0.4cm
ABS fronta 23/1 cm

DETALJI PROJEKTOVANJA:

- svi elementi su na nogicama h=2cm
- svi frontovi elemenata su upadajući između korpusnih vertikal
- elementi su sa jednim frontom u donjem delu elementa (sa otvaranjem na push), otvorene police ovih elemenata raditi fiksne, iza fronta staviti po 2 police
- drvodezen koristiti sa vertikalnim godovima na svim frontovima i leđima
- između ovih polica postavlja se maska za fan coil, sa gornje strane maske postaviti ventilacione aluminijumske rešetke
- maska se sastoji iz letvica preseka 7x2 i postavljene su na odmacima od 2 cm, napraviti masku tako da može da se skida u celosti, po potrebi
- sa bočne strane elementa do ulaznih vrata postaviti duplung masku sa falcovima 1x1 cm u istom dezenu. Maska će biti širine dubine otvorenice police i zida na koji se naslanja, na nju će se izvesti potrebne instalacije
- koristiti Blum okov

Sve mere proveriti na licu mesta!
Za sve nejasnoće, kontaktirati projektanta!

NPM 07a

Projekat:
Enterijer poslovnog prostora
nacionalnog saveta rusinske nacionalne
manjine
Matice srpske 15, Novi Sad

PIKANTERIOR

Projektant:
mast.inž.arh. Željka Paripović
060/3776250


april 2022.

15

IZGLED B



PRESEK a-a



NPM 012

MATERIJALI ZA IZRADU:

 H 3157 ST12 Vicenza hrast

 U968 ST9 Carbon Grey

vidni korpus: u dezenu i materijalu frontova
skriveni korpus: korpusna bela iverica
ABS korpusa 23/0.4cm
ABS fronta 23/1 cm


IZGLED SPREDA




OSNOVA



IZGLED BOČNO



PRESEK KROZ SAKSIJU



lim kao zaštita od curenja

Sve mere proveriti na licu mesta!
Za sve nejasnoće, kontaktirati projektanta!

NPM 07a

Projekat:
Enterijer poslovnog prostora
nacionalnog saveta rusinske nacionalne
manjine
Matice srpske 15, Novi Sad


PIKANTERIOR

Projektant:
mast.inž.arh. Željka Paripović
060/3776250


april 2022.

16

OSNOVA a-a



OSNOVA b-b



Sve mere proveriti na licu mesta!
Za sve nejasnoće, kontaktirati projektanta!

NPM 07b i 08

Projekat:
Enterijer poslovnog prostora
nacionalnog saveta rusinske nacionalne
manjine
Matice srpske 15, Novi Sad


PIKANTERIOR

Projektant:
mast.inž.arh. Željka Paripović
060/3776250


april 2022.

17

IZGLED A



IZGLED B



MATERIJALI ZA IZRADU:

- U968 ST9 Carbon Grey
- H 3157 ST12 Vicenza hrast
- Štof za tapaciranje u zelenoj boji
- Keramička pločica/kamen odabran za popločavanje ulaza

ABS 23/1 cm

DETALJI PROJEKTOVANJA:

- na zidu naspram ulaza se postavlja biblioteka kao otvorene police u gornjem delu elementa, i zatvoreni deo u donjem delu.
- sve otvorene police su fiksne, a frontovi se otvaraju na tip-on
- preko celog zida, bočno od biblioteke, potrebno je postaviti ploče od univera kao oblogu zida, a na njih fiksirati letvice od masiva preseka 2x2cm, na odmacima 2 cm, na jednom delu obloge oformiti otvor za postavljanje veštačkog zelenila
- klupa za sedenje ima sedalni deo od univera, na koji se postavlja tapacirano sedište, i sastavljena je iz dva dela po 1.3m dužine
- za sedenje se na bazu klupe postavlja po jedan jastuk pričvršćenim čičak trakom
- naslon klupe se tapacira isto iz dva dela po 1.3m dužine. Na podlozi za tapaciranje, sa gornje strane formiraju naslon iz jednog dela
- stalak za kišobrane je slobodnostojeći, sa gerovanim ivicama
- saksija u ulazu se radi sa opšavkom od keramičke pločice koja je odabrana za popločavanje ulaza (spojewe sve gerovati), sa unutrašnje strane postaviti lim kao zaštitu od vlage

Sve mere proveriti na licu mesta!
Za sve nejasnoće, kontaktirati projektanta!

NPM 08 I 09

Projekat:
Enterijer poslovnog prostora
nacionalnog saveta rusinske nacionalne
manjine
Matice srpske 15, Novi Sad

PIKANTERIOR

Projektant:
mast.inž.arh. Željka Paripović
060/3776250


april 2022.

18


PRESEK I-I



IZGLED B - obloga i letvice




MATERIJALI ZA IZRADU:




ABS 23/1 cm

STALAK ZA KIŠOBRANE



SAKSIJA U ULAZU



Sve mere proveriti na licu mesta!
Za sve nejasnoće, kontaktirati projektanta!

NPM 08 | 09

Projekat:
Enterijer poslovnog prostora
nacionalnog saveta rusinske nacionalne
manjine
Matice srpske 15, Novi Sad

PIKANTERIOR


Projektant:
mast.inž.arh. Željka Paripović
060/3776250

april 2022.


19

Toalet


OSNOVA



IZGLED A



PRESEK I-I



MATERIJALI ZA IZRADU:

H 3 I 57 ST12 Vicenza hrast

DETALJI PROJEKTOVANJA:

- element postaviti tako, da gornja ivica lavaboa bude na 90 cm od poda
- element je dvokrlni i u njega se postavlja bojler
- na banak Geberita postaviti duplung ploču u drvozdezu
- iznad lavaboa, celom dužinom zida, postavlja se ogledalo
- sa donje i gornje strane ogledala, prosijava led traka (uvući podkonstrukciju 6 cm od ivica ogledala za postavljanje led trake
- mikroprekidač za ogledalo postaviti sa donje strane ogledala

Osnova "Toaleta" - NPM 10

Projekat:
Enterijer poslovnog prostora
nacionalnog saveta rusinske nacionalne
manjine
Matice srpske 15, Novi Sad

PIKANTERIOR

Projektant:
mast.inž.arh. Željka Paripović
060/3776250

april 2022.


20




Sve mere proveriti na licu mesta!
Za sve nejasnoće, kontaktirati projektanta!

Kuhinja

OSNOVA DONJIH ELEMENATA



OSNOVA GORNJIH ELEMENATA



Osnova "Kuhinja"

Projekat:
Enterijer poslovnog prostora
nacionalnog saveta rusinske nacionalne
manjine
Matice srpske 15, Novi Sad

PIKANTERIOR


Projektant:
mast.inž.arh. Željka Paripović
060/3776250

Sve mere proveriti na licu mesta!
Za sve nejasnoće, kontaktirati projektanta!


april 2022.

21


IZGLED A



IZGLED A BEZ FRONTOVA



IZGLED B




MATERIJALI ZA IZRADU:


- U968 ST9 Carbon Grey
- H 3157 ST12 Vicenza hrast
- U 763 ST9 Pearl Grey

vidni korpus: u dezenu i materijalu frontova
skriveni korpus: korporna bela iverica
ABS korpusa 23/0.4cm
ABS fronta 23/1 cm

Detalj D - ručka




Detalj E - ručka




Sve mere proveriti na licu mesta!
Za sve nejasnoće, kontaktirati projektanta!

NPM II	
Projekat: Enterijer poslovnog prostora nacionalnog saveta rusinske nacionalne manjine Matice srpske 15, Novi Sad	
PIKANTERIOR	
Projektant: mast.inž.arh. Željka Paripović 060/3776250	
april 2022.	22


IZGLED B



IZGLED C



IZGLED C



MATERIJALI ZA IZRADU:

- U968 ST9 Carbon Grey
- H 3157 ST12 Vicenza hrast
- U 763 ST9 Pearl Grey

vidni korpus: u dezenu i materijalu frontova
skriveni korpus: korpusna bela iverica
ABS korpusa 23/0.4cm
ABS fronta 23/1 cm

DETALJI PROJEKTOVANJA:


- donji elementi su postavljeni na pvc nogice h=10cm, pokrivene soklom u boji frontova
- donje elemente čine: žičani element, el. sudopere, fiokaš i element za frižider, u nastavku omogućeno sedenje za dve stolice
- gornje elemente iznad sudopere čine dve konzolne duplung police, a bočno dva reda otvorene police i horizontalni el. koji se otvara na gore
- koristiti Blumov okov
- transparentna pregrada se postavlja između kuhinje i ulaznog hola, čine je vertikalne preseke 8x8 cm, na odmacima od 10 cm
- stubovi koji čine pregradu su fiksirani za pod i plafon
- na datim odmacima postaviti nuteve (U968 ST9) oko svakog stuba
- vertikalne između sebe imaju veze u obliku kubusa od univera u dezenu U968 dimenzija preseka 10x10, zatvoren odgore i sa donje strane, postavljen na različitim visinama
- spoj radnih ploča bez lajsne

Sve mere proveriti na licu mesta!
Za sve nejasnoće, kontaktirati projektanta!

NPM II	
Projekat: Enterijer poslovnog prostora nacionalnog saveta rusinske nacionalne manjine Matice srpske 15, Novi Sad	
P I K A N T E R I O R	
Projektant: mast.inž.arh. Željka Paripović 060/3776250	
april 2022.	23



- čiviluk prebaciti na zid desno od stepeništa, radi se u dimenziji 115 cm širine
- levo od čiviluka postaviti saksiju od univera U968 ST9, sa lažnom dubinom na 15 cm od gornje ivice (taj pod je pun)
- dimenzije saksije: 210x40x60 (šxdxv)
- komoda ispod stepeništa, okvirnih dimenzija: 90x45x160 cm. Komoda je dvokrilna, unutra predvideti 2 pomerljive police



Sala:		
14	Stalak za skulpture	pravi se po meri
15	Sto za sastanke	pravi se po meri
16	Klizna vrata ispod kosine	pravi se po meri
17	Otvorena polica	pravi se po meri
18	Kuhinja	pravi se po meri
19	Kupatilski element	pravi se po meri

h	Stolica Ikea Janinge	kupovni nameštaj	30 kom
b	Radna stolica Ikea Langfjall	kupovni nameštaj	4 kom
g	Barska stolica Nordviken	kupovni nameštaj	2 kom
i	Ogledalo Ikea Lindbyn	kupovni nameštaj	1 kom

Dispozicija nameštaja
Potkrovlje

Projekat:
Enterijer poslovnog prostora
nacionalnog saveta rusinske
nacionalne manjine
Matice srpske 15, Novi Sad

PIKANTERIOR



Projektant:
mast.inž.arh. Željka Paripović
060/3776250

april 2022.

25

Sve mere proveriti na licu mesta!
Za sve nejasnoće, kontaktirati projektanta!

NPM I4 - Stalak za skulpture





- MATERIJALI ZA IZRADU:
- H 3157 ST12 Vicenza hrast
 - Metalni kutijasti profil 2x2 RAL9004 mat

DETALJI PROJEKTOVANJA:

- kompozicija sa stalcima sadrži tri stalka različitih visina
- osnovna konstrukcija police je od metalnog profila preseka 2x2 cm, plastificiranim po RAL9004 mat
- gornja polica je od univera H3157 ST12, sa lažnom debljinom od 10 cm, spojevi su svi gerovani

NPM I5 - Sto za sastanke



- MATERIJALI ZA IZRADU:
- H 3157 ST12 Vicenza hrast
 - Metalni kutijasti profil 2x2 RAL9004 mat

DETALJI PROJEKTOVANJA:

- ploča stola duplung, maska na zadnjem delu stola, se spušta 20 cm u odnosu na gornju ivicu stola
- konstrukcija stola od metalnog flaha preseka 6x2 cm, plastifikacija po RAL9004 mat

Sve mere proveriti na licu mesta!
Za sve nejasnoće, kontaktirati projektanta!

NPM I4 I NPM I5	
Projekat: Enterijer poslovnog prostora nacionalnog saveta rusinske nacionalne manjine Matice srpske I5, Novi Sad	
P I K A N T E R I O R	
Projektant: mast.inž.arh. Željka Paripović 060/3776250	
april 2022.	26

Komoda - potkrovlje

Materijali:

- H3157 ST12 Vicenza hrast
- U968 ST9 Carbon grey
- W1000 ST9 Premium bela

Detalji:

- na nogicama h=10cm
- jednaki frontovi
- ukupna visina komode



35.0 cm

135.0 cm


225.0 cm

10.0 cm

3.0 cm


75 cm

10.0 cm



Kuhinja

OSNOVA



NPM 18

Projekat:
Enterijer poslovnog prostora
nacionalnog saveta rusinske nacionalne
manjine
Matice srpske 15, Novi Sad

PIKANTERIOR

Projektant:
mast.inž.arh. Željka Paripović
060/3776250

Sve mere proveriti na licu mesta!
Za sve nejasnoće, kontaktirati projektanta!


april 2022.

29




revizija u element

IZGLED A



IZGLED B



MATERIJALI ZA IZRADU:


- Met.flah 6x2cm RAL9004
- H 3157 ST12 Vicenza hrast
- W1000 ST9 Premium bela

vidni korpus: u dezenu i materijalu frontova
skriveni korpus: korpusna bela iverica
ABS korpusa 23/0.4cm
ABS fronta 23/1 cm


DETALJI PROJEKTOVANJA:

- donji elementi su postavljeni na pvc nogice h=10cm, pokrivene soklom u boji frontova
- donje elemente čine: žičani element, el. sudopere, fiokaš, frižider, sudomašina, ugaoni elementi
- gornje elemente čini otvorena polica i dugački element sa otvaranjem na gore
- koristiti Blumov okov
- između gornjih i donjih elemenata postaviti lajsnu od univera u visini 30 cm
- otvaranje svih frontova po detaljima D i E
- spoj radnih ploča bez lajsne

Detalj D - ručka



Detalj E - ručka



Sve mere proveriti na licu mesta!
Za sve nejasnoće, kontaktirati projektanta!

NPM I8

Projekat:
Enterijer poslovnog prostora
nacionalnog saveta rusinske nacionalne
manjine
Matice srpske 15, Novi Sad


PIKANTERIOR

Projektant:
mast.inž.arh. Željka Paripović
060/3776250

april 2022.

30

IZGLED C



MATERIJALI ZA IZRADU:


- Met.flah 6x2cm RAL9004
- H 3157 ST12 Vicenza hrast
- W1000 ST9 Premium bela

vidni korpus: u dezenu i materijalu frontova
skriveni korpus: korpusna bela iverica
ABS korpusa 23/0.4cm
ABS fronta 23/1 cm

DETALJI PROJEKTOVANJA:

- donji elementi su postavljeni na pvc nogice h=10cm, pokrivene soklom u boji frontova
- donje elemente čine: žičani element, el. sudopere, fiokaš, frižider, sudomašina, ugaoni elementi
- gornje elemente čini otvorena polica i dugački element sa otvaranjem na gore
- koristiti Blumov okov
- između gornjih i donjih elemenata postaviti lajsnu od univera u visini 30 cm
- otvaranje svih frontova po detaljima D i E
- spoj radnih ploča bez lajsne

IZGLED D




Sve mere proveriti na licu mesta!
Za sve nejasnoće, kontaktirati projektanta!

NPM 18	
Projekat: Enterijer poslovnog prostora nacionalnog saveta rusinske nacionalne manjine Matice srpske 15, Novi Sad	
P I K A N T E R I O R	
Projektant: mast.inž.arh. Željka Paripović 060/3776250	
april 2022.	31


Toalet

IZGLED A

IZGLED A - BEZ FRONTOVA



Ikea ogledalo Lindbyn




Ikea ogledalo Lindbyn

bojler

detalj D

Detalj D - ručka



MATERIJALI ZA IZRADU:

U968 ST9 Carbon Grey


H 3157 ST12 Vicenza hrast

vidni korpus: u dezenu i materijalu frontova
skriveni korpus: korpusna bela iverica
ABS korpusa 23/0.4cm
ABS fronta 23/1 cm

DETALJI PROJEKTOVANJA:

- kompozicija sastavljena iz 2 elementa (jednokrilni i dvokrilni)
- otvaranje frontova po detalju D
- ogledalo nije predmet ponude
- konzolno okačiti element

OSNOVA



bojler



Sve mere proveriti na licu mesta!
Za sve nejasnoće, kontaktirati projektanta!

NPM 19

Projekat:
Enterijer poslovnog prostora
nacionalnog saveta rusinske nacionalne
manjine
Matice srpske 15, Novi Sad

PIKANTERIOR

Projektant:
mast.inž.arh. Željka Paripović
060/3776250

april 2022.

32



Komoda u ženskom toaletu - potkrovlje

- Materijali:

H3157 ST12 Vicenza hrast

U968 ST9 Carbon grey

- Detalji:

jednaka 4 fronta

2 dvokrilna elementa sa zajedničkom
pločom odgore

otvaranje preko skrivene ručke